



TSPL Coal Status Report Consolidated - November' 2018

Coal Source	Open requisition for the Month: Total (MT)	Opening balance Stock for current month (MT)
MCL (washed coal)	0	10537
MCL (Imported coal)	0	0
MCL (Raw coal)	0	85065.8700
Alternate Coal	0	10981.3000

Date	Daily Coal Received (MT)*					Cumulative Coal Received (MT)					Daily Coal Consumption (MT)					Cumulative Coal Consumption (MT)					Balance Coal Stock (MT): Daily					Alternate coal used as percentage of Total coal: Daily (%)	
	MCL wash	Alternate	MCL Raw Coal	MCL IMP	Total	MCL	Alternate	MCL Raw Coal	MCL IMP	Total	MCL	Alternate	MCL Raw Coal	MCL IMP	Total	MCL	Alternate	MCL Raw Coal	MCL IMP	Total	MCL washed	Alternate	MCL Raw Coal	MCL IMP	Total		
1	0	7981.660	11065	0	19046	0	7982	11065	0	19046	0	0	4305	14741	0	19046	0	4305	14741	0	19046	10537	14657.96	81389.53	0	105584.08	22.6%
2	3904	3953.890	18614	3954	30426	3904	11936	29679	3954	49472	0	4696	11894	0	16590	0	9001	26635	0	35636	14441	13915.85	88109.39	0	116465.86	28.3%	
3	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0.00	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
4	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14441	13915.85	88109.39	0	116465.86	#DIV/0!	
5	0	0.000	0.0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14441	13915.85	88109.39	0	116465.86	#DIV/0!	
6	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0.00	0	0	0	0	9001	26635	0	35636	14441	13915.85	88109.39	0	116465.86	#DIV/0!	
7	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14441	13915.85	88109.39	0	116465.86	#DIV/0!	
8	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14441	13915.85	88109.39	0	116465.86	#DIV/0!	
9	0	0.000	0	0	0	3904	11936	29679	3954	49472	0.00	0	0.00	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
10	0.00	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
11	0	0.000	0	0	0	3904	11936	29679	3954	49472	0.00	0.00	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
12	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14441	13915.85	88109.39	0	116465.86	#DIV/0!	
13	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14441	13915.85	88109.39	0	116465.86	#DIV/0!	
14	0	0.000	0	0	0	3904	11936	29679	3954	49472	0.00	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
15	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14441	13915.85	88109.39	0	116465.86	#DIV/0!	
16	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
17	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
18	0	0.000	0	0	0.00	3904	11936	29679	3954	49472	0.000	0.000	0.00	0	0	0	9001	26635.0	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
19	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
20	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
21	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
22	0	0.000	0	0	0	3904	11936	29679	3954	49472	0.000	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109	0	116465.86	#DIV/0!	
23	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0.00	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
24	0	0.000	0	0	0	3904	11936	29679	3954	49472	0.00	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.860	#DIV/0!	
25	0.000	0.000	0.000	0	0.000	3904	11936	29679	3954	49472	0.000	0	0.000	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
26	0	0.000	0	0	0	3904	11936	29679	3954	49472	0.00	0	0.00	0	0	0.000	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
27	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
28	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
29	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	
30	0	0.000	0	0	0	3904	11936	29679	3954	49472	0	0	0	0	0	0	9001	26635	0	35636	14440.62	13915.85	88109.39	0	116465.86	#DIV/0!	

* Values for daily coal received are based on the quantity mentioned on Railway Receipt. Actual figures may be revised based on actual quantity received at plant (GRN qty) and same shall be reconciled on monthly basis

Note:

- Nos. may change subject to difference in testing procedure, weather conditions etc. Coal data updated for the coal weighed till 24.00 Hrs of previous day.
- Coal requisition qty for MCL(Raw) coal is based on program issued by MCL.